Referencer til artikel, bragt i TNT nr. 9/2007, s. 10:

Restaurering af fraktureret, rodbehandlet maksillær lateral incisiv: Et forsøg på at finde en evidensbaseret tilgang

Originaltitel: Restoring the fractured root-canal-treated maxillary lateral incisor: In search of an evidence-based approach. Oprindelig bragt i Quintessence Int 2007;38:179-191

Forfattere:
Jens C. Türp, DDS, Dr Med Dent Habil1/
Guido Heydecke, DDS, Dr Med Dent HabiI2/
Gabriel Krasti, DDS, Dr Med Dent3/
Oliver Pontius, DDS, Dr Med Dent, MSc4/Gerd Antes, Dr Rer Nat5/
Nicola U. Zitzmann, DDS, Dr Med Dent Habil, ph.d.1,3

1Clinic for Reconstructive Dentistry and Temporomandibular Disorders,Dental School,University of Basel, Basel, Switzerland.
2Department of Prosthodontics, School of Dentistry, University Hospital Freiburg, Freiburg, Germany; Faculty of Dentistry, McGill University,Montréal, Canada.
3Clinic for Periodontology, Endodontology, and Cariology, Dental School, University of Basel, Basel, Switzerland.
4Private Practitioner, Diplomate of the American Board of Endodontics, Bad Homburg, Germany.
5German Cochrane Centre, Institute for Medical Biometry and Medical Informatics, University of Freiburg, Freiburg, Germany.

Reprint requests: Prof Dr Jens C.Türp, Klinik für Rekonstruktive Zahnmedizin und Myoarthropathien, Universitätskliniken für Zahnmedizin, Hebelstrasse 3, CH-4056 Basel, Switzerland. Fax: +41 61 267 26 60. E-mail: jens.tuerp@unibas.ch

---

REFERENCER

1. Clarkson J, Harrison JE, Ismail AI, Needleman I, Worthington H (eds). Evidence Based Dentistry for Effective Practice. London: Martin Dunitz, 2003.
2. Richards D. 10 years after. Evid Based Dent 2004;5: 87.
3. Oxford Centre for Evidence-Based Medicine Levels of Evidence. Levels of evidence and grades of recommendation. Available at: http://www.cebm.net/ levels_of_evidence.asp. Accessed 10 August 2006.
4. Roane JB, Sabala CL, Duncanson MG Jr. The “balanced force” concept for instrumentation of curved canals. J Endod 1985;11:203–211.
5. Libman WJ, Nicholls JI. Load fatigue of teeth restored with cast posts and cores and complete crowns. Int J Prosthodont 1995;8:155–161.
6. Sorensen JA. Preservation of tooth structure. J Calif Dent Assoc 1988;16:15–22.
7. Mannocci F, Ferrari M, Watson TF. Intermittent loading of teeth restored using quartz fiber, carbon-quartz fiber, and zirconium dioxide ceramic root canal posts. J Adhes Dent 1999;1:153–158.
8. Weine FS,Wax AH,Wenckus CS. Retrospective study of tapered, smooth post systems in place for 10 years or more. J Endod 1991;17:293–297.
9. Cheung GS, Chan TK. Long-term survival of primary

root canal treatment carried out in a dental teaching hospital. Int Endod J 2003;36:117–128.
10. Walton TR. An up to 15-year longitudinal study of 515 metal-ceramic FPDs: Part 2. Modes of failure and influence of various clinical characteristics. Int J Prosthodont 2003;16:177–182.
11. Drummond JL, Bapna MS. Static and cyclic loading of fiber-reinforced dental resin. Dent Mater 2003;19:226–231.
12. Andreasen FM, Noren JG, Andreasen JO, Engelhardtsen S, Lindh-Stromberg U. Long-term survival of fragment bonding in the treatment of fractured crowns: A multicenter clinical study. Quintessence Int 1995;26:669–681.
13. Spinas E. Longevity of composite restorations of traumatically injured teeth. Am J Dent 2004;17: 407–411.
14. Wiegand A, Rodig T, Attin T. Die Therapie von Kronenfrakturen bei Frontzähnen—Reattachment statt Restauration? Schweiz Monatsschr Zahnmed 2005;115:1172–1181.
15. Caldari M, Monaco C, Ciocca L, Scotti R. Single-session treatment of a major complication of dens invaginatus: A case report. Quintessence Int 2006; 37:337–343.
16. Schwartz RS, Robbins JW. Post placement and restoration of endodontically treated teeth: A literature review. J Endod 2004;30:289–301.
17. Peroz I, Blankenstein F, Lange KP, Naumann M. Restoring endodontically treated teeth with posts and cores—A review. Quintessence Int 2005;36: 737–746.
18. Barjau-Escribano A, Sancho-Bru JL, Forner-Navarro L, Rodriguez-Cervantes PJ, Perez-Gonzalez A, Sanchez-Marin FT. Influence of prefabricated post material on restored teeth: Fracture strength and stress distribution. Oper Dent 2006;31:47–54.
19. Fokkinga WA, Kreulen CM, Vallittu PK, Creugers NH. A structured analysis of in vitro failure loads and failure modes of fiber, metal, and ceramic post-and-core systems. Int J Prosthodont 2004;17:476–482.
20. Reis A, Loguercio AD, Kraul A, Matson E. Reattachment of fractured teeth: A review of literature regarding techniques and materials. Oper Dent 2004;29:226–233.
21. Chosack A, Eidelman E. Rehabilitation of a fractured incisor using the patient's natural crown. J Dent Child 1964;31:19–21.
22. Badami AA, Dunne SM, Scheer B. An in vitro investigation into the shear bond strengths of two dentine-bonding agents used in the reattachment of incisal edge fragments. Endod Dent Traumatol 1995;11:129–135.
23. Farik B, Munksgaard EC. Fracture strength of intact and fragment-bonded teeth at various velocities of the applied force. Eur J Oral Sci 1999;107:70–73.
24. Demarco FF, Fay RM, Pinzon LM, Powers JM. Fracture resistance of re-attached coronal fragments—

Influence of different adhesive materials and bevel preparation. Dent Traumatol 2004;20:157–163.
25. Dean JA, Avery DR, Swartz ML. Attachment of anterior tooth fragments. Pediatr Dent 1986;8:139–143.
26. Munksgaard EC, Hojtved L, Jorgensen EH, Andreasen JO, Andreasen FM.Enamel-dentin crown fractures bonded with various bonding agents. Tandlaegernes Tidsskr 1991;6:76–79.
27. Farik B, Munksgaard EC, Kreiborg S, Andreasen JO. Adhesive bonding of fragmented anterior teeth. Endod Dent Traumatol 1998;14:119–123.
28. Worthington RB, Murchison DF, Vandewalle KS. Incisal edge reattachment: The effect of preparation utilization and design. Quintessence Int 1999;30:637–643.
29. Pagliarini A, Rubini R, Rea M, Campese M. Crown fractures: Effectiveness of current enamel-dentin adhesives in reattachment of fractured fragments. Quintessence Int 2000;31:133–136.
30. Reis A, Francci C, Loguercio AD, Carrilho MR, Rodriques Filho LE. Re-attachment of anterior fractured teeth: Fracture strength using different techniques. Oper Dent 2001;26:287–294.
31. Chu FC, Yim TM, Wei SH. Clinical considerations for reattachment of tooth fragments. Quintessence Int 2000;31:385–391.
32. Turgut MD, Gonul N, Altay N. Multiple complicated crown-root fracture of a permanent incisor. Dent Traumatol 2004;20:288–292.
33. Oz IA, Haytac MC, Toroglu MS. Multidisciplinary approach to the rehabilitation of a crown-root fracture with original fragment for immediate esthetics: A case report with 4-year follow-up. Dent Traumatol 2006;22:48–52.
34. Heydecke G, Butz F, Strub JR. Fracture strength and survival rate of endodontically treated maxillary incisors with approximal cavities after restoration with different post and core systems: An in-vitro study. J Dent 2001;29:427–433.
35. Heydecke G, Butz F, Hussein A, Strub JR. Fracture strength after dynamic loading of endodontically treated teeth restored with different post and core systems. J Prosthet Dent 2002;87:438–445.
36. Akkayan B. An in vitro study evaluating the effect of ferrule length on fracture resistance of endodontically treated teeth restored with fiber-reinforced and zirconia dowel systems. J Prosthet Dent 2004; 92:155–162.
37. Nissan J, Dmitry Y, Assif D. The use of reinforced composite resin cement as compensation for reduced post length. J Prosthet Dent 2001;86: 304–308.
38. Mezzomo E, Massa F, Libera SD. Fracture resistance of teeth restored with two different post-and-core designs cemented with two different cements: An in vitro study. Part I. Quintessence Int 2003;34: 301–306.
39. Mannocci F, Ferrari M, Watson TF. Microleakage of

endodontically treated teeth restored with fiber posts and composite cores after cyclic loading: A confocal microscopic study. J Prosthet Dent 2001;85:284–291.
40. Reid LC, Kazemi RB, Meiers JC. Effect of fatigue testing on core integrity and post microleakage of teeth restored with different post systems. J Endod 2003;29:125–131.
41. Goracci C, Raffaelli O, Monticelli F, Balleri B, Bertelli E, Ferrari M. The adhesion between prefabricated FRC posts and composite resin cores: Microtensile bond strength with and without post-silanization. Dent Mater 2005;21:437–444.
42. Vano M, Goracci C, Monticelli F, et al. The adhesion between fibre posts and composite resin cores: The evaluation of microtensile bond strength following various surface chemical treatments to posts. Int Endod J 2006;39:31–39.
43. Creugers NH, Mentink AG, Fokkinga WA, Kreulen CM. 5-year follow-up of a prospective clinical study on various types of core restorations. Int J Prosthodont 2005;18:34–39.
44. Ellner S, Bergendal T, Bergman B. Four post-and-core combinations as abutments for fixed single crowns: A prospective up to 10-year study. Int J Prosthodont. 2003;16:249–254.
45. Malferrari S, Monaco C, Scotti R. Clinical evaluation of teeth restored with quartz fiber-reinforced epoxy resin posts. Int J Prosthodont 2003;16:39–44.
46. Monticelli F, Grandini S, Goracci C, Ferrari M. Clinical behavior of translucent-fiber posts: A 2-year prospective study. Int J Prosthodont 2003;16: 593–596.
47. Naumann M, Blankenstein F, Dietrich T. Survival of glass fibre reinforced composite post restorations after 2 years—An observational clinical study. J Dent 2005;33:305–312.
48. Creugers NH, Mentink AG, Käyser AF. An analysis of durability data on post and core restorations. J Dent 1993;21:281–284.
49. Mannocci F, Bertelli E, Sherriff M, Watson TF, Ford TR. Three-year clinical comparison of survival of endodontically treated teeth restored with either full cast coverage or with direct composite restoration. J Prosthet Dent 2002;88:297–301.
50. Mannocci F, Qualtrough AJ, Worthington HV, Watson TF, Pitt Ford TR. Randomized clinical comparison of endodontically treated teeth restored with amalgam or with fiber posts and resin composite: Five-year results. Oper Dent 2005;30:9–15.
51. Sorensen JA, Engelman MJ. Ferrule design and fracture resistance of endodontically treated teeth. J Prosthet Dent 1990;63:529–536.
52. Magne P, Douglas WH.Cumulative effects of successive restorative procedures on anterior crown flexure: Intact versus veneered incisors. Quintessence Int 2000;31:5–18.
53. Maxwell AW, Blank LW, Pelleu GB Jr. Effect of crown

preparation height on the retention and resistance of gold castings. Gen Dent 1990;38:200–202.
54. Goodacre CJ, Spolnik KJ. The prosthodontic management of endodontically treated teeth: A literature review. Part I. Success and failure data, treat-ment concepts. J Prosthodont 1994;3:243–250.
55. Fernandes AS, Dessai GS. Factors affecting the fracture resistance of post-core reconstructed teeth: A review. Int J Prosthodont 2001;14:355–363.
56. Edelhoff D, Heidmann D, Kern M, Weigl O. Build-up of endodontically treated teeth [in German]. Dtsch Zahnärztl Z 2003;58:199–201. Available at: www.dgzmk.de. Accessed 30 April 2006.
57. Ferrari M,Vichi A, Garcia-Godoy F. Clinical evaluation of fiber-reinforced epoxy resin posts and cast post and cores. Am J Dent 2000;13:15B–18B.
58. Maccari PC, Conceicao EN, Nunes MF. Fracture resistance of endodontically treated teeth restored with three different prefabricated esthetic posts. J Esthet Restor Dent 2003;15:25–30.
59. Sirimai S, Riis DN, Morgano SM. An in vitro study of the fracture resistance and the incidence of vertical root fracture of pulpless teeth restored with six post-and-core systems. J Prosthet Dent 1999;81: 262–269.
60. King PA, Setchell DJ. An in vitro evaluation of a prototype CFRC prefabricated post developed for the restoration of pulpless teeth. J Oral Rehabil 1990;17: 599–609.
61. Ottl P, Hahn L, Lauer H, Fay M. Fracture characteristics of carbon fibre, ceramic and non-palladium endodontic post systems at monotonously increasing loads. J Oral Rehabil 2002;29:175–183.
62. Akkayan B, Gulmez T. Resistance to fracture of endodontically treated teeth restored with different post systems. J Prosthet Dent 2002;87:431–437.
63. Newman MP, Yaman P, Dennison J, Rafter M, Billy E. Fracture resistance of endodontically treated teeth restored with composite posts. J Prosthet Dent 2003;89:360–367.
64. Rudo DN, Karbhari VM. Physical behaviors of fiber reinforcement as applied to tooth stabilization. Dent Clin North Am 1999;43:7–35.
65. Butz F, Lennon AM, Heydecke G, Strub JR. Survival rate and fracture strength of endodontically treated maxillary incisors with moderate defects restored with different post-and-core systems: An in vitro study. Int J Prosthodont 2001;14:58–64.
66. Strub JR, Pontius O, Koutayas S. Survival rate and fracture strength of incisors restored with different post and core systems after exposure in the artificial mouth. J Oral Rehabil 2001;28:120–124.
67. Koutayas SO, Kern M. All-ceramic posts and cores: The state of the art. Quintessence Int 1999;30: 383–392.
68. Paul SJ,Werder P. Clinical success of zirconium oxide posts with resin composite or glass-ceramic cores in endodontically treated teeth: A 4-year retrospective

study. Int J Prosthodont 2004;17:524–528.
69. Carossa S, Lombardo S, Pera P, Corsalini M, Rastello ML, Preti PG. Influence of posts and cores on light transmission through different all-ceramic crowns: Spectrophotometric and clinical evaluation. Int J Prosthodont 2001;14:9–14.
70. The glossary of prosthodontic terms. J Prosthet Dent 1999;81:39–110.
71. Sorensen JA, Engelman MJ. Effect of post adapta-tion on fracture resistance of endodontically treated teeth. J Prosthet Dent 1990;64:419–424.
72. Isidor F, Brondum K, Ravnholt G. The influence of post length and crown ferrule length on the resist-ance to cyclic loading of bovine teeth with prefab-ricated titanium posts. Int J Prosthodont 1999;12: 78–82.
73. Zhi-Yue L,Yu-Xing Z. Effects of post-core design and ferrule on fracture resistance of endodontically treated maxillary central incisors. J Prosthet Dent 2003;89:368–373.
74. Tan PL, Aquilino SA, Gratton DG, et al. In vitro fracture resistance of endodontically treated central incisors with varying ferrule heights and configura-tions. J Prosthet Dent 2005;93:331–336.
75. Naumann M,Preuss A, Rosentritt M. Effect of incomplete crown ferrules on load capacity of endodonti-cally treated maxillary incisors restored with fiber posts, composite build-ups, and all-ceramic crowns: An in vitro evaluation after chewing simulation. Acta Odontol Scand 2006;64:31–36.
76. Sackett DL, Richardson WS, Rosenberg W, Haynes RB. Evidence-Based Medicine. How to Practice and Teach EBM. New York: Churchill Livingstone, 1997.
77. Straus SE, Richardson WS, Glasziou P, Haynes RB. Evidence-Based Medicine. How to Practice and Teach EBM, ed 3. Edinburgh: Churchill Livingstone, 2005.
78. Daly J. Evidence-Based Medicine and the Search for a Science of Clinical Care. Berkeley: University of California Press, 2005.
79. Wennberg JE. Dealing with medical practice variations: A proposal for action. Health Aff (Millwood) 1984;3:6–32.
80. Gore SM, Langlands AO, Spiegelhalter DJ, Stewart HJ. Treatment decisions in breast cancer. Recent Results Cancer Res 1988;111:149–170.
81. Wennberg JE. Practice variation: Implications for our health care system. Manag Care 2004;13:3–7.
82. Witney AG, Vetter P, Wolpert DM. The influence of previous experience on predictive motor control. Neuroreport 2001;12:649–653.